





SD Office ML Single-sided DECT headset

Enjoy your calls in HD voice clarity and get natural high-definition sound for superior voice clarity. Work safely ensured that the ActiveGard® technology will protect your hearing.

Imagine making every call in comfort, and being able to focus on what's important: the CONVERSATION.

Benefits and Features:

- Optimized for Microsoft Lync
- Premium design crafted for best comfort
- Sennheiser HD voice clarity wideband sound for natural listening experiences
- High comfort wearing styles choose between ear hook and headband wearing style
- Noise-canceling microphone filters out unwanted background noise
- One touch on the base station to select the channel you wish to call from - between desk phone and softphone
- Pairing for desk sharing and phone conferences – intuitive and easy to set up
- Microphone mute and volume up and down – intuitive user interface
- Full workday talk time 8 hours in wideband sound mode and 12 hours in narrowband sound mode
- Re-charge 50% of your battery in 20 minutes – intelligent fast charging
- Long distance wireless range in typical office building: up to 180 ft and in line of sight: up to 590 ft
- ActiveGard® technology protects your hearing against acoustic shock

Product Information

Product name SD Office ML- US **Order name** SD 10 ML – US 40 44155 08835 9 EAN No. UPC No. 6 15104 24746 8 Art. No. 506009

Technical Data

DECT for US DECT 6.0 (1.920 to 1.930 MHz)

GAP compatible Yes (Headset) Headset Connect to Base

Base set Connect to desk phone and softphone **Headset Auto Link to Base** Yes, can be activated on the base station EHS (Electronic Hook Switch) Yes (accessory – order EHS adapter separately)

150 Hz – 6.8 KHz

300 Hz - 3.5 KHz

Mechanical Hook Lifter HSL 10 (accessory – order separately) Call control Plug and play optimized for Microsoft Lync MS Communicator 2007 R2 certified/ Yes

optimized

MS Lync certified/optimized

Frequency response Wideband

Mode

Frequency response Narrowband

Mute Microphone Yes

Speaker type Neodynium Magnet Speaker 150 Hz - 6.8 KHz

Frequency response Wideband Mode

Frequency response Narrowband 300 Hz - 3.5 KHz

All acoustic parts observe the TIA-920 wideband standards

Product Information

General Data				
Operational temperature range	+41 °F to +113 °F			
Storage temperature range	-4 °F to +158 °F			
Weight, ear hook version	0.78 oz			
Weight, headband version	1.76 oz			
Ear pad size	ø 1.96 inches			
Battery (Lithium Polymer)	Exchangeable for service (see manual)			
Personalization	Yes with nameplate on headset			
Range – line of sight	590 ft			
Range – in typical office building	180 ft			
Automatic power adjustment	Yes (distance between headset and base)			
Talk time in Wideband Mode	Up to 8 hours			
Talk time in Narrowband Mode	Up to 12 hours			
Stand by time	Up to 100 Hours			
Auto – headset OFF when out of	Yes → after 30 minutes			
range				
Charge time 0 – 50%	20 minutes			
Charge time 0 – 100%	1 hour			
Packaging				
Package dimensions (H x W x D)	6.5 x 6.3 x 6.3 in			
Package weight	30 oz			
Units in distributor master carton	8			
Master carton dimensions	14 x 15 x 15 in			
(H x W x D)				
Master carton weight				
Safety	Vice and the second			
Automatic Acoustic Shock Protection	YES ➡ ActiveGard®			
EU/AUS Limiter	YES → Activation by dip switch			
Delivery content				

- Delivery content
- Headset (with name plate for ear hook and distance holder)
- Base Station
- Power supply
- USB cable
- Audio phone cable
- Headband
- 1 bendable ear hook (mounted on headset)
- 2 additional ear hooks: small and large sized
- Name plate holder for headband and name plate instruction
- Printed QuickGuide
- CD with Manual, QuickGuide and nameplate template
- Printed safety guide


Accessories				
	Order name	Art. No	EAN No.	UPC No.
EHS Avaya adaptor	CEHS-AV 03	504536	40 44155 081671	6 15104 23371 3
EHS Avaya adaptor	CEHS-AV 04	504589	40 44155 087987	6 15104 24686 7
EHS Avaya adaptor	CEHS-AV 05	506037	40 44155 090291	6 15104 25053 6
EHS Snom adaptor	CEHS-SN 01	504101	40 44155 047394	6 15104 17408 5
EHS Snom adaptor	CEHS-SN 02	504188	40 44155 074574	6 15104 22297 7
EHS Alcatel adaptor	CEHS-AL 01	504102	40 44155 047400	6 15104 17422 1
EHS Cisco adaptor	CEHS-CI 01	504103	40 44155 047417	6 15104 17423 8
EHS Cisco adaptor	CEHS-CI 02	504533	40 44155 080230	6 15104 23183 2
EHS Cisco adaptor	CEHS-CI 03	506038	40 44155 090307	6 15104 25054 3
EHS Polycom adaptor	CEHS-PO 01	504104	40 44155 047424	6 15104 17424 5
EHS DHSG adaptor	CEHS-DHSG	504105	40 44155 047431	6 15104 17425 2
Mobile phone adaptor	CEHS-MB 01	506033	40 44155 089165	61 5104 24889 2
EHS ShoreTel adaptor	CEHS-SH 01	504590	40 44155 088038	6 15104 24692 8
Handset Lifter	HSL 10	500712	40 44156 012384	6 15104 11795 2
Interface box for AEI EHS	TCI 01	500275	40 44156 001913	6 15104 10232 3
Headset Charger	CH 10	504366	40 44155 050998	6 15104 18053 6
Spare Headset Charger - USB	CH 10 USB	504365	40 44155 051001	6 15104 18055 0
Multi USB Power Source	MCH 7	504348	40 44155 050820	6 15104 18030 7
Spare earhook set	EH set DW 10 F	504352	40 44155 050868	6 15104 18035 2
Single components				
			LILL CDC ! I	

EAN No. UPC No.	
40 44155 088267 6 15104	24728 4
40 44155 088489 6 15104	24772 7
	40 44155 088267 6 15104

Base including power supply, audio cable and USB cable

Product Information

Spare parts				
	Order name	Art. No	EAN No.	UPC No.
Power supply US	UNI PS US 01	92893	40 12418 928933	6 15104 92893 0
Spare battery	DW BATT 03	504374	40 44155 051087	6 15104 18067 3
Headband	SHS 04 SD10 spare	506060	40 44155 090741	6 15104 25156 4
Earpad	HZP 25 DW 10	504349	40 44155 050837	6 15104 18031 4
Earhook bendable	EH DW 10 B	504370	40 44155 051049	6 15104 18062 8
Name plate set	Name plate set, SD 10	506061	40 44155 090710	6 15104 25150 2
Audio cable RJ 45 – RJ 9	RJ 45 - RJ9 - DW	504364	40 44155 050981	6 15104 18052 9
USB cable	USB cable - DW	504363	40 44155 050974	6 15104 18051 2
Fixation kit for Handset Lifter	Fixation kit - HSL10	504032	40 44155 046984	6 15104 17342 2



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets, the combination of exceptional HD sound, quality design and build – and a focus on real life usability - give the best performance possible in busy offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco



Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and high-quality headsets for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit: www.sennheiser.com/cco

Sennheiser Communications A/S

Langager 6 · DK-2680 Solrød Strand · Denmark